




Handling your


Founded over 60 years ago by the Braud family, Manitou Group now operates worldwide. A world-leader in all-terrain material handling, the Group designs, produces, distributes and services equipment intended for construction, agriculture and industries.


The Group's product ranges include: telescopic loaders including rotary and heavyweight all-terrain telescopic forklift-trucks, semi industrial and industrial all-terrain masted forklifts, compact loaders (skid-steers) on wheels or tracks, aerial work-platforms for personnel, truck-mounted forklifts, warehousing equipment and attachments.

Thanks to its high-profile brands, Manitou, Gehl and Mustang, and its network of 1,400 dealers throughout the world, the group provides the best solutions, creating most value for its customers.

With its head office in France, the group had a revenue of €1.332 billion in 2016 in 140 countries and employs 3,700 staff who are resolutely focused on customer satisfaction.











The Manitou semi-industrial forklift trucks(MSI)

The Manitou group is the real expert and the pionner of this type of machines.

Specially designed to meet specific handling requirements:

- sloping or uneven terrain;
- long or heavy loads; and
- high permanent power output and precision for accurate operation and handling.

In a difficult environment and/or with specific requets, the MSIs are the appropriate solution in terms of total cost of ownership compared to a standard industrial forklift.

PRODUCTIVITY

Versatile

machines

Drive your forklift easily, no matter the type of ground.

Large front wheels, combined with hydrostatic transmission, provide for a smooth operation.

With a capacity ranging from 2 to 5 tonnes, MSIs boost high maneuverability and flexibility of use. In addition, thanks to its stability and versatility, an MSI can easily operate in warehouses or outdoor storage areas, even in rough terrain.



2 wheel-drive

Hydrostatic transmission

Capacities from

2 to **5** tons

Productivity & maneuverability

Thanks to its powerful gradeability, you are able to optimise space and efficiency in the working area.

Additionally, you save precious time through an ergonomic operator cab and easy ground maneuvering of the truck.

The engine power, coupled with hydrostatic transmission, provide for precise operation and increased productivity.





Work easily in confined spaces. With their compact dimensions and a very tight turning radius (thanks to the steering axle with built-in cylinder), MSIs provide exceptional mobility.

7



Robust chassis & ergonomic levers

Manufactured by Manitou, the monoblock chassis and other key components have been designed to offer long service life.

The masts have been designed and manufactured by Manitou. They have been specially designed to meet the requirements of the toughest applications.

Located near the driving seat, the cross levers (in standard) group together all controls to raise/lower and tilt the mast.

MSIs feature an automatic mast lifting acceleration system, which operates independently of the transmission system.



As an option, MSIs may be equipped with a JSM to have all machine functions in the palm of your hand.

* Joystick Switch Movements







High precision machine

Handle your loads as accurately as you would with you bare hands. Hydrostatic transmission offers absolute precision in total safety. This system also allows the machine to operate smoothly, even on rough terrain. It also provides double dynamic braking.

Machines easy to use and maintain

MSI forklifts are fitted with a cab featuring an electro-hydraulic lifting system: the entire cab can tilt forward effortlessly with a single button.

The outstanding access to the entire engine compartment facilitates maintenance operations, reducing machine downtime and, therefore, maintenance costs.



COMFORT

Access made easier

Get easily in and out of the cab several times a day.

Manitou has designed forklifts to be accessible from either side without footboards. Only for the 2 to 3.5 t versions.



Stability

Optimised by the track width to wheelbase ratio, the stability of MSI forklifts allows you to safely handle long loads or several pallets at the same time. In addition, its mast tilt angle (10-12°) and a very low centre of gravity further enhances machine stability.





Operator comfort

The MSI range delivers superior operator comfort.

The driver's cab insulates the driver from vibrations (excellent shock-absorbers). As an option, the fully enclosed driver's cab includes the following features:

- adjustable suspension seat; and
- adjustable steering column and fanassisted heating.

Keep control of your loads while driving, even on irregular terrain.

MSIs feature a unique, ergonomic and intuitive joystick that groups all key controls together: raise, lower, mast tilt and reversing shift.



Clear visibility

Nothing escapes your control.

MSI forklifts offer all-round visibility of the forks and the work environment. The roof window provides clear visibility for upward views.

Safety comes first.





For all your applications!

The MSIs are perfectly adapted to semi-industrial applications. The tyres, power and robustness of the machine are designed for heavy duty applications.

Versatile machines

Manitou proposes a wide range of products perfectly adapted to your particular needs.

MSI high-capacity forklifts are powered by reliable and high-performance engines, which facilitates handling of different type of loads: raw materials, wood and other building material.

The 2 and 2.5 t series are also available in Buggie version (overall height of less than 2m), which is ideal for height-restricted spaces.











A wide array of options and attachments

Tyres

Low pressure tyres absorb shocks when driving over pavements, potholes, etc., offering perfect traction on sloping ground.

A wide range of tyres enables you to optimise your machine performance according to ground conditions.





The chassis design allows chains to be fitted and provides optimum traction under extreme conditions.

Fork positioner



Attachments

A range of attachments are available to suit specific applications:

- Side-shift carriage
- Fork positioner
- Waste bucket, bale clamp...
- Skip
- ...

Please note that these attachments will require 3 or 4 hydraulic services. Therefore, you need to include levers and distributors mounted up to the carriage when placing your order.



Tilt carriage

The tilt carriage is a unique solution in the market, available for the MSI 2 to 3.5 t models. Equipped with a full visibility duplex mast (DVT), the tilt carriage allows very fast attachment changes without the need to leave the driver's cab (hydraulic locking option).

Operators work under excellent working conditions and in a clean environment.

Also available in a skip version. With a tilt angle of 66°, the carriage increases accuracy when loading and unloading materials.







Specific options

To meet your specific needs:

- Customised painting
- Specific equipment or attachment...





		MSI 20	MSI 25	MSI 30	MSI 35	MSI 40	MSI 50
	Full Visibility Duplex Mast	S	S	S	S	S	S
MATS	Free Lift Duplex Mast	0(1)	0(1)	0(1)	0(1)	-	-
INIAIS	Free Lift Triplex Mast	0	0	0	0	0	0
	Total Visibility Triplex Mast	0	0	-	-	-	-
	Integrated or hook-on side-shift carriage	0	0	0	0	0	0
	Load back rest	0	0	0	0	0	0
ATTACHMENTS	Double side-shift carriage	-	-	-	-	0	0
	Fork positioner	0	0	0	0	-	-
	Tilt carriage	0	0	0	0	-	-
	Quick hydraulic couplers	0	0	0	0	0	0
	Straight lever-operated directional valve (2 double acting + 1 single acting)	0	0	0	0	-	-
U. L. P. 15	Straight lever-operated directional valve (3 double acting + 1 single acting)	0	0	0	0	-	-
Hydraulic kits and distributors	Directional valve with Switch & Move joystick (3 double acting + 1 single acting)	0	0	0	0	0	0
unu ulotributoro	Directional valve with Switch & Move joystick (4 double acting + 1 single acting)	0	0	0	0	0	0
	Cross directional valve with Switch & Move joystick (3 double acting + 1 single acting)	0	0	0	0	0(2)	O ⁽²⁾
	Cross directional valve with reverse movements (2 double acting + 1 single acting)	S	S	S	S	S	S
	CD/MP3 player	0	0	0	0	0	0
	Radio player with speakers and antenna	0	0	0	0	0	0
	Fully enclosed cab	0	0	0	0	S ⁽³⁾	S ⁽³⁾
	Driver protection without windscreen	0	0	0	0	-	-
	2-section door	0	0	0	0	S ⁽⁴⁾	S ⁽⁴⁾
	Low cab "buggy" version	0	0	0	0	-	-
	Right and left doors with sliding window	0	0	0	0	S ⁽⁵⁾	S ⁽⁵⁾
	Heating	0	0	0	0	-	-
CAB / COMFORT	Air conditioning	0	0	0	0	0	0
GAB / COMITON	Driver protection with tinted front windshield and rear windows	S	S	S	S	-	-
	Tilting steering column	S	S	S	S	S	S
	Rear/front wipers and front screen washer	S	S	S	S	S	S
	Wiper for roof panel	-	-	-	-	S	S
	Sun visor on roof panel	-	-	-	-	S	S
	Document-holder	0	0	0	0	0	0
	Mechanical suspension seat in artificial leather	S	S	S	S	S	S
	Cloth mechanical suspension seat	0	0	0	0	-	-
	Cloth air suspension seat	0	0	0	0	0	0

		MSI 20	MSI 25	MSI 30	MSI 35	MSI 40	MSI 50
	Complete front/rear road lights	0	0	0	0	0	0
LIGHTING	Rotating beacon	0	0	0	0	0	0
	Left and right front/rear work lights (x2)	0	0	0	0	0	0
	Safety belt	S	S	S	S	S	S
	Self-cleaning pre-filtre	0	0	0	0	0	0
	Cyclone pre-filtre	0	0	0	0	0	0
	Balancing valve on tilting cylinder	0	0	0	0	0	0
	Battery isolator switch	S	S	S	S	0	0
	Reverse motion warning alarm	0	0	0	0	0	0
	Timed engine cut-off	0	0	0	0	-	-
SAFETY	Fuel tank screwdriver cap	0	0	0	0	-	-
	Emergency stop button	0	0	0	0	-	-
	Final drive protection	0	0	0	0	-	-
	Speed limiter 12 km/h	0	0	0	0	-	-
	Anti-theft predisposition	-	-	-	-	S	S
	Right-side view mirror	0	0	0	0	S	S
	Internal rear view mirror	0	0	0	0	0	0
	Left-side view mirror	0	0	0	0	S	S
	Load shock absorber	0	0	0	0	S	S
DDODUGTIV/ITV	Differential locking system	-	-	-	-	S	S
PRODUCTIVITY	Hydraulic inching function	0	0	0	0	S	S
	Lifting acceleration	S	S	S	S	-	-
	Spare wheel (1)	0	0	0	0	0	0
TVDFO	Foam filled tyres (1)	-	-	-	-	0	0
TYRES	Anti-puncture liquid	0	0	0	0	-	-
	Wheel tightening tool	0	0	0	0	-	-
Miscellaneous	Front wing extension	0	0	0	0	0	0
	Rear wing extension	0	0	0	0	0	0
INIIZCEIIAIIEOUZ	Special colour paint	0	0	0	0	0	0
	Low temperature oil	0	0	0	0	-	-

⁽¹⁾ Through an special deal. - (2) Available in 4 double acting + 1 single acting - (3) With tinted windows - (4) On right door only - (5) On left door only for the MSI40-50

Specifications may vary according to the regulations in force in the country of use or with the addition of optional equipment. Manitou is constantly researching and developing new products and reserves the right to make any changes without prior warning.





The model you need!

Choose from a range of 2 to 5 tonnes, with lifting heights up to 7 m.

You also have a wide range of tyres and masts at your disposal.





MSI 20

Capacity	kg (lbs)	
Engine power 3B 3A (X version)	kW (HP)	
Max. lifting height	m (ft)	
Center of gravity	mm (ft)	
Carriage class		
Dimensions from (LxWxH)	m (ft)	
Aisle width from	m (ft)	
Turning radius from	m (ft)	

2000 (4400)
48.6 (65.2) -
7 (23')
500 (1'64")
FEM 2A
2.95 x 1.32 x 2.22 (9'8" x 4'4" x 6'1")
4.49 (14'73")
2.54 (8'3")

MSI 25

2500 (5500)
48.6 (65.2) 36 (48.3)
7 (23')
500 (1'64")
FEM 2A
2.95 x 1.32 x 2.22 (9'8" x 4'4" x 6'1")
4.52 (14'82")
2.54 (8′3″)

MSI 30

3000 (6600)
48.6 (65.2) 36 (48.3)
7 (23')
500 (1'64")
FEM 3A
2.98 x 1.32 x 2.22 (9'9" x 4'4" x 6'1")
4.56 (14'96")
2.64 (8′5″)



MSI 35

3500 (7700)
48.6 (65.2) 36 (48.3)
7 (23')
500 (1'64")
FEM 3A
3.03 x 1.32 x 2.22 (9'11" x 4'4" x 6'1")
4.6 (15'09")

2.67 (8'7")

MSI 40

4000 (8800)
55 (73.8) -
6 (19'8")
500 (1'64")
FEM 3A
3.29 x 1.73 x 2.44 (10'10" x 5'8" x 8'0")
4.76 (16'53")
2.87 (9'4")

MSI 50

5000 (11000)
55 (73.8) -
6 (19'8")
600 (1'97")
FEM 4A
3.38 x 1.73 x 2.44 (11'1" x 5'8" x 8'0")
5.04 (15'61")
2.95 (9′7″)





Manitou is here to help!

So that you can benefit from an operational forklift all year long, Manitou offers a wide range of products and services that are suited to all your needs.







1 400 dealers at your service

The Manitou network is present in more than 120 countries, with over 2,000 expert technicians, specially trained in Manitou technology, who are at your service to assist with everything from purchasing to after-sales.

Expertise and service on a daily basis

Your Manitou dealer can guarantee a complete range of services at all stages of your machine's life and is there to provide support and meet your needs, always looking to provide you with the best solution.









Dealer network

A network of experts at your service, whatever your activity (agriculture, construction, industry).

Maintenance contracts

3 levels of contracts which are tailored to your specific needs: Initial, Advanced, and Excellence. Leave maintenance to your Manitou dealer.

Financing

Buy or rent? Whatever your business, simplify your investment with financing or leasing solutions using Manitou Finance.

Warranty extension

With Maniplus, you can extend coverage on your Manitou for up to 5 years. Use your machine with full peace of mind.

The connected solution

Easy Manager is a simple and flexible tool for managing, optimizing and securing the operational monitoring of your machines.

llser

In the market for second-hand equipment? The Manitou network can help you. Visit your dealer or used.manitou.com, our dedicated reference site for second-hand machines.

Genuine spare parts

With more than 70,000 parts available, your Manitou dealer never fails to give you expertise and service you need!





Head office

B.P. 249 - 430 rue de l'Aubinière - 44158 Ancenis Cedex - France Tél.: 00 33 (0)2 40 09 10 11 - Fax: 00 33 (0)2 40 09 10 97

















